

Exam 2

PRACTICE

2.Code

gnome.h

```
class Gnome {  
  
    public:  
        Gnome();  
        Gnome(int, int);  
        int GetVal1() const;  
        int GetVal2() const;  
  
    private:  
        int value1;  
        int value2;  
  
};
```

main.cpp

```
int main() {  
    Gnome a(10,25);  
    cout << a.value1 << " " << a.value2;  
    cout << endl;  
    return 0;  
}
```

1. True or False

- a) Multi-dimensional arrays are only possible with integral data types (e.g., bool, integer, const).
- b) All getter functions are void functions.
- c) Non-member functions have access to public members of an object.
- d) A function in main() has the same access to a member function as other member functions of the class.

2. Questions

- a) What type of message would the compiler display?
- b) Correctly rewrite the line of code to correct the error.
- c) What is the purpose of const in the two member functions?
- d) What is Gnome(), and why isn't there a return type?

3.Code: what is legal?

Given this class definition and main function, what statements in main are legal?

```
class Gnome {
public:
    Gnome();
    Gnome(int v1, int v2);
    int GetValue1() const;
    int GetValue2() const;
private:
    int value1;
    int value2;
};

int main() {
    Gnome g1;
    Gnome g2();
    g1.value1 = 52;
    int value1;
    value1 = g1.GetValue1();
    Gnome g3 = g1;
    g3.g2();
    cout << value1;
    cout << value2;
}
```

5.Functions

Consider the following function:

```
Circle Circle::DoSomething(const Circle& c) {
    // does something here
}
```

- a) What is the name of the function?

- b) Is this function a member function? If yes, to what class

4.Short Answer

- a) Suppose you have developed a class called MyClass. Write the function header for this class's default constructor.

- b) How many elements are in myVec after the following declaration:
vector<int> myVec;

- c) Suppose the first element of an integer array is at base address 550. What is the base address of the 4th element, i.e., myArray[3]? (Note: each integer takes four bytes.)

6. Functions ... cont.

Consider the following function:

```
Circle Circle::DoSomething(const Circle& c) {
    // does something here
}
```

- a) What does the first Circle represent?

- b) What does the third Circle represent?

7. Constructors

Which of the following are valid constructors.

- a) `BankAccount() const;`
- b) `BankAccount(double balance);`
- c) `void BankAccount();`
- d) `BankAccount(const string& acct, double balance);`

9. Drawing Time

Draw a picture of the array that would be created by the following code.

```
int data[ 8 ] = { 1, 1 };

for( int index = 2; index < 8; ++index ) {
    data[ index ] = data[ index - 1 ] + data[ index - 2 ];
}
```

8. What is printed?

```
class Gnome {
public:
    Gnome();
    Gnome(int v1, int v2);
    int GetVal1() const;
    int GetVal2() const;
    int Diff();
    int Diff(const Gnome& g);

private:
    int value1;
    int value2;
};

int Gnome::Diff() {
    return (value2 - value1);
}
int Gnome::Diff(const Gnome& g) {
    return (value2 - g.value2);
}

int main()
{
    Gnome a(10,25), b(5,20);
    cout << a.Diff() << endl;
    cout << a.Diff(b) << endl;
}
```

10. Sequential Search

Suppose you have the following array defined:

```
const int NROWS = 4;
const int NCOLS = 2;
char data[ NROWS ][ NCOLS ] = { '9', '2', '8', '5', '1', '3', '4', '8' };
```

Write the code to search whether the character '3' is in the 2D array.

11.Classes: Put it all together

Write the class declaration for a new data type called **Point**. Use the keyword **const** where it is appropriate to do so. Your Point data type should have:

- a. two double data members (x and y) that must always be positive
- b. two constructor functions, one default and one that takes both x and y
- c. getter/setter functions for each data member
- d. one member function, called Distance, that takes one parameter and returns the distance between two point objects, and
- e. one private helper function, called Check, that returns a boolean on whether a point has positive x and y. (The constructors call this function.)

12.Classes: Put it all together

- a. Write the function implementation of your parameterized constructor for your Point data type.
- b. Write the function implementation for one of your setter functions in your Point data type.
- c. Write the function implementation for the member distance function of your Point data type. Assume `sqrt()` function is available to you (via the `<cmath>` header file).
- d. Write the helper function for the Point data type.

13. Classes: Put it all together

Write a main function that:

- declares two Point objects that are initialized with (5,3) and (7,1)
- prints the values of the (5,3) point using the accessor functions
- changes the value of the 1 in the (7,1) point to -3
- prints the distance between the two points
- prints whether the (7,-3) point is a valid Point using check()

14. Army of Gnomes?

Declare a vector of Gnomes.
Then add two Gnomes:
Harry with value 35
Sally with value 33

```
class Gnome {  
  
    public:  
        Gnome();  
        Gnome(int v1, string name);  
        int GetVal1() const;  
        string GetName() const;  
  
    private:  
        int value1;  
        string name;  
  
};
```

```
//Army of Gnomes?  
int main()  
{
```

```
}
```

15. Composition

```
class Chair { // defined in Chair.h  
    private:  
        int height, width, depth;  
        double price;  
    public:  
        const static int DIMENSION = 1;  
        Chair();  
        Chair(int, int, int, double);  
        // All get and set functions  
};
```

```
class Table { // defined in Table.h  
    private:  
        int height, width;  
        double price;  
    public:  
        Table();  
        Table(int, int, double);  
        // All get and set functions  
};
```

Write a .h file to define a new
object type: DiningSet.
DiningSet has 2 chairs and 1 table,
a bool on whether set is sold,
and a GetPrice() function.

```
//Dining Set with 2 chairs and 1 table?
```

16. Composition: Put it all together

- Write the function implementation of the Chair's default constructor. Use 10.0 for the price, and DIMENSION for height, width, and depth.
- Write a statement to print DIMENSION to the screen in main().
- Write the implementation of GetPrice() in your DiningSet class. GetPrice() is equal to the sum of the table's price plus the two chairs' prices.